

ROUTING							
TO	NAME A	ND ADDRESS		DATE	INITIALS		
1							
2							
3							
4							
	ACTION	DIRECT REPLY		PREPA	RE REPLY		
	APPROVAL	DISPATCH		RECOMMENDATION			
	COMMENT	FILE		RETURN			
	CONCURRENCE	. INFORMATION	L.	SIGNA	TURE		
REMARKS:							
FROM: NAME, ADDRESS, AND PHONE NO.							

	SECRET	228				
	(Security Classification))				
		25X1				
	(See inside cover)					
CONTROL NO. <u>7-14073/83</u>						
COPY	NPIC/IEG (9/83) OF					

Warning Notice
Intelligence Sources or Methods Involved

NATIONAL SECURITY INFORMATION

Unauthorized Disclosure Subject to Criminal Sanctions

SECRET
(Security Classification)

Warning Notice Intelligence Sources or Methods Involved (WNINTEL) or (D)

NATIONAL SECURITY INFORMATION Unauthorized Disclosure Subject to Criminal Sanctions

DISSEMINATION CONTROL ABBREVIATIONS

NOFORN-

Not Releasable to Foreign Nationals

NOCONTRACT-

Not Releasable to Contractors or

Contractor/Consultants

PROPIN-

Caution-Proprietary Information Involved

ORCON-

Dissemination and Extraction of Information

Controlled by Originator

REL . . .

This Information has been Authorized for

Release to . . .

	SECRET	
		25 X 1
	(c) NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER	
	Page of Attachment to	3)
	Copy 13 SEPTEMBER 19	
	PROBABLE STRAP-ON BOOSTER FOR HEAVY-LIFT LAUNCH VEHICLE	
	TYURATAM ICBM TEST SUPPORT FACILITY 31, USSR (SWN)	25 X 1
•	SIGNIFICANCE: THE FIRST STAGE OF THE NEW MEDIUM-LIFT SL-Y VEHICLE WILL PROBABLY BE USED AS A STRAP-ON, THRUST AUGMENTATION BOOSTER FOR THE NEW HEAVY-LIFT LAUNCH VEHICLE (HLV). (SWN)	
	REMARKS: A PROBABLE STRAP-ON BOOSTER FOR THE NEW HLV WAS ON A THREE-CAR TRAIN IN THE ASSEMBLY AREA OF TYURATAM ICBM TEST SUPPORT FACILITY 31. THE DIMENSIONS OF THE	25X1
	PROBABLE STRAP-ON BOOSTER WERE COMPATIBLE WITH THE DIMENSIONS OF THE FIRST STAGE OF THE NEW MEDIUM-LIFT SL-Y VEHICLE, AND THE THREE-CAR TRAIN WAS OF THE TYPE ASSOCIATED WITH THE SL-Y VEHICLE. THE SL-Y IS CURRENTLY UNDERGOING LAUNCH READINESS TESTING AND IS EXPECTED TO BE	25X1
	LAUNCHED FROM TYURATAM SPACE LAUNCH SITE Y1/2 BY THE END OF THE YEAR. (SWN)	25X1
	THE NEW HLV WILL BE LAUNCHED FROM TYURATAM SPACE LAUNCH SITES W AND J1/2 BOTH STILL UNDER CONSTRUCTION. THE CONFIGURATION OF THE LAUNCH PAD AND THE MOBILE SERVICE GANTRY AT SPACE LAUNCH SITE W INDICATE THAT THE NEW HLV HAS BEEN DESIGNED TO ACCOMMODATE FOUR STRAP-ON	25/25X1
	BOOSTERS. (SWN)	25 X 1
	COORDINATES 45-55-34N 063-16-30E (S)	25X1

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue.

25X1

WARNING NOTICE INTELLIGENCE SOURCES OR METHODS INVOLVED

SECRET